



Product Data Sheet

ATF L6S

Product Description:

ATF L6S is a high performance full synthetic long life ATF specially designed for all 6-speeds automatic transmissions developed by ZF where a constructor requires a M.1375-4 specification.

ATF L6S is based on fully synthetic base in combination with an unique additive package to ensure the following properties:

- Excellent thermo- and oxidation stability.
- Excellent lubrication, even under extreme conditions.
- Very high protection against wear, corrosion and foam.
- High “shear stable”.
- Very low Pour point, can be used by very cold temperatures.
- High Viscosity Index.

ATF L6S exceeds the following performance criteria.:

M.1375-4 Hyundai SP-IV	VW G 055 005 Mercon LV	Toyota Type WS Dexron VI	Nissan Matic S
---------------------------	---------------------------	-----------------------------	----------------

Properties	Unit	Test Method	Typical Value
Density @15°C	kg/m ³	ASTM D4052	840
Kin. Viscosity @40°C	mm ² /s	ASTM D7042	27
Kin. Viscosity @100°C	mm ² /s	ASTM D7042	5.6
Viscosity Index		ASTM D2270	151
Flash Point COC	°C	ASTM D92	>201
Pour Point	°C	ASTM D97	-54

Product Nr. 4501	Date Issued: 01-05-2013	Date Superseded:	Revision nr:
------------------	-------------------------	------------------	--------------