

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 27/02/2015 Revision date: 05/10/2015 Supersedes: 27/02/2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : 600-T800 Industrial Degreaser

Type of product : Detergent

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : cleaning product

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

SOTT INTERNATIONAL BV

De Donge 2c

5684 PX Best - Nederland T +31(0)499-751810

info@sott-international.com - www.sott-international.com

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226 STOT SE 3 H335 STOT SE 3 H336 Asp. Tox. 1 H304 Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :









GHS02

GHS07

GHS08

GHS

Signal word (CLP) : Danger

Hazardous ingredients : butanone, Hydrocarbons, C9, aromatics, Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-

25%)

Hazard statements (CLP) : H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H335 - May cause respiratory irritation H336 - May cause drowsiness or dizziness

 $\ensuremath{\mathsf{H411}}$  - Toxic to a quatic life with long lasting effects

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor

P370+P378 - In case of fire: Use alcohol resistant foam, extinguishing powder, carbon dioxide (CO2), Water

fog to extinguish

P331 - Do NOT induce vomiting

29/10/2015 EN (English) 1/8

Version: 2.0

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking

#### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Flammable liquid and vapour. May cause drowsiness or dizziness. May cause respiratory irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

## SECTION 3: Composition/information on ingredients

#### 3.1 Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	(EC no) 919-446-0 (REACH-no) 01-2119458049-33	>= 50	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hydrocarbons, C9, aromatics	(EC no) 918-668-5 (REACH-no) 01-2119455851-35	25 - 50	Flam. Liq. 3, H226 STOT SE 3, H335 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
butanone	(CAS No) 78-93-3 (EC no) 201-159-0 (EC index no) 606-002-00-3 (REACH-no) 01-2119457290-43	5 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
xylene	(CAS No) 1330-20-7 (EC no) 215-535-7 (EC index no) 601-022-00-9 (REACH-no) 01-2119488216-32	1 - 5	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304
mesitylene	(CAS No) 108-67-8 (EC no) 203-604-4 (EC index no) 601-025-00-5	1 - 5	Flam. Liq. 3, H226 STOT SE 3, H335 Aquatic Chronic 2, H411
ethylbenzene	(CAS No) 100-41-4 (EC no) 202-849-4 (EC index no) 601-023-00-4 (REACH-no) 01-2119489370-35	1 - 5	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304

Full text of H-statements: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel

unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause drowsiness or dizziness.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after ingestion : Risk of lung oedema.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

29/10/2015 EN (English) 2/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Carbon dioxide. Dry powder. Foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.

Complete protective clothing.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8:

"Exposure controls/personal protection". Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8 and 13.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond

container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Incompatible materials : Reacts violently with (strong) oxidizers.

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

butanone (78-93-3)		
EU	Local name	Butanone
EU	IOELV TWA (mg/m³)	600 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	200 ppm
EU	IOELV STEL (mg/m³)	900 mg/m <sup>3</sup>
EU	IOELV STEL (ppm)	300 ppm
United Kingdom	Local name	Butan-2-one (methyl ethyl ketone)
United Kingdom	WEL TWA (mg/m³)	600 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (mg/m³)	899 mg/m <sup>3</sup>

29/10/2015 EN (English) 3/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

butanone (78-93-3)		
United Kingdom	WEL STEL (ppm)	300 ppm
United Kingdom	Remark (WEL)	Sk,BMGV: 70 µmol butan-2-one/L in urine
Hydrocarbons, C9, aromatics		
United Kingdom aromatic hydrocarbons (vapours, WEL TWA): 500 mg/m³		
xylene (1330-20-7)		
EU	Local name	Xylene, mixed isomers, pure
EU	IOELV TWA (mg/m³)	221 mg/m³
EU	IOELV TWA (ppm)	50 ppm
EU	IOELV STEL (mg/m³)	442 mg/m³
EU	IOELV STEL (ppm)	100 ppm
EU	Notes	Skin
United Kingdom	Local name	Xylene, o-,m-,p- or mixed isomers
United Kingdom	WEL TWA (mg/m³)	220 mg/m³
United Kingdom	WEL TWA (ppm)	50 ppm
United Kingdom	WEL STEL (mg/m³)	441 mg/m³
United Kingdom	WEL STEL (ppm)	100 ppm
United Kingdom	Remark (WEL)	Sk,BMGV
mesitylene (108-67-8)		
EU	Local name	Mesitylene (Trimethylbenzenes)
EU	IOELV TWA (mg/m³)	100 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	20 ppm
United Kingdom	Local name	Trimethylbenzenes, all isomers or mixtures
United Kingdom	WEL TWA (mg/m³)	125 mg/m³
United Kingdom	WEL TWA (ppm)	25 ppm
ethylbenzene (100-41-4)		
EU	Local name	Ethylbenzene
EU	IOELV TWA (mg/m³)	442 mg/m³
EU	IOELV TWA (ppm)	100 ppm
EU	IOELV STEL (mg/m³)	884 mg/m³
EU	IOELV STEL (ppm)	200 ppm
EU	Notes	Skin
United Kingdom	Local name	Ethylbenzene
United Kingdom	WEL TWA (mg/m³)	441 mg/m³
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m³)	552 mg/m³
United Kingdom	WEL STEL (ppm)	125 ppm
United Kingdom	Remark (WEL)	Sk

## 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : Polyvinyl alcohol gloves

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations. Where

 $exposure\ through\ inhalation\ may\ occur\ from\ use,\ respiratory\ protection\ equipment\ is\ recommended.\ Gas\ mask$ 

with filter type A

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

9.1.	Information on basic n	hysical and chemical properties
J. I.	illivilliadivil vii basiv p	

Physical state: LiquidAppearance: liquid.Colour: Colourless.Odour: Solvents.

29/10/2015 EN (English) 4/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour threshold : No data available pH : Not applicable Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : 40 °C

: No data available Auto-ignition temperature : No data available Decomposition temperature Flammability (solid, gas) : Not applicable Vapour Pressure 20°C : No data available Relative vapour density at 20 °C No data available : No data available Relative density Solubility : No data available Log Pow No data available Viscosity, kinematic  $< 7 \text{ mm}^2/\text{s}$ : No data available Viscosity, dynamic Explosive properties No data available Oxidising properties : No data available **Explosive limits** : No data available

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Flammable liquid and vapour. Under fire conditions, hazardous fumes will be present.

### 10.2. Chemical stability

No additional information available

## 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No additional information available

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

butanone (78-93-3)	
LD50 oral rat	3400 mg/kg
LD50 dermal rabbit	13000 mg/kg

Hydrocarbons, C9, aromatics	
LD50 oral rat	3592 mg/kg
LD50 dermal rabbit	> 3160 mg/kg
LC50 inhalation rat (Vapours - mg/l/4h)	> 6,193 mg/l/4h

Skin corrosion/irritation : Not classified

pH: Not applicable

Serious eye damage/irritation : Not classified

pH: Not applicable

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

29/10/2015 EN (English) 5/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Н١	vdrocar	bons.	C9.	aromatics
	yuivvui	nuiio,	UJ,	ui viiiutivo

Carcinogenicity : Not classified
Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

COO TOOO	المطال مطالما	Danuagan
000-1800	industriai	Degreaser

Viscosity, kinematic < 7 mm<sup>2</sup>/s

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

butanone (78-93-3)	
LC50 fish 1	3220 mg/l 96h
Hydrocarbons, C9, aromatics	
LC50 fish 1	9,2 mg/l 96h (Reference has been taken from the toxicological data of a similar product)
EC50 Daphnia 1	3,2 mg/l 48h (Reference has been taken from the toxicological data of a similar product)
FrC50 (algae)	2.9 mg/l 72h (Reference has been taken from the toxicological data of a similar product)

## 12.2. Persistence and degradability

butanone (78-93-3)	
Persistence and degradability	Readily biodegradable in water.
Hydrocarbons, C9, aromatics	
Hydrocarbons, C9, aromatics	

#### 12.3. Bioaccumulative potential

butanone (78-93-3)	
Bioconcentration factor (BCF REACH) 3 (calculated value)	
Log Pow	0,3

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

## SECTION 14: Transport information

In accordance with ADR

## 14.1. UN number

UN-No. (ADR) : 1993

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : FLAMMABLE LIQUID, N.O.S.

Transport document description (ADR) : UN 1993 FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-

25%)), 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS

#### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3

29/10/2015 EN (English) 6/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



14.4. Packing group

Packing group (ADR) : III

14.5. Environmental hazards

Dangerous for the environment : Yes

Other information : No supplementary information available

## 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : F1
Hazard identification number (Kemler No.) : 30

Orange plates :

30 1993

Tunnel restriction code (ADR) : D/E EAC code : •3YE

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	600-T800 Industrial Degreaser - butanone, ethyl methyl ketone - Hydrocarbons, C9, aromatics - xylene - mesitylene, 1,3,5-trimethylbenzene - ethylbenzene - Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
3.a. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	600-T800 Industrial Degreaser - butanone, ethyl methyl ketone - Hydrocarbons, C9, aromatics - xylene - mesitylene, 1,3,5-trimethylbenzene - ethylbenzene - Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
3.b. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	600-T800 Industrial Degreaser - butanone, ethyl methyl ketone - Hydrocarbons, C9, aromatics - xylene - ethylbenzene - Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
3.c. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	600-T800 Industrial Degreaser - Hydrocarbons, C9, aromatics - mesitylene, 1,3,5-trimethylbenzene - Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	600-T800 Industrial Degreaser - butanone, ethyl methyl ketone - Hydrocarbons, C9, aromatics - xylene - mesitylene, 1,3,5-trimethylbenzene - ethylbenzene - Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Detergent Regulation : Labelling of contents:

Component	%
aliphatic hydrocarbons	>=30%
aromatic hydrocarbons	15-30%

29/10/2015 EN (English) 7/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## **SECTION 16: Other information**

			ges:

	Date of issue	Modified	
	Revision date	Added	
	Supersedes	Added	
2.1	Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]	Removed	
3.2	Composition/information on ingredients	Modified	
8.1	Exposure limit values	Modified	

## Full text of H- and EUH-statements:

Tull text of II- and Lorr-statements.	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects
EUH066	Repeated exposure may cause skin dryness or cracking

Safety Data Sheet applicable for regions : GB

SDS EU (REACH Annex II) - SOTT

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

29/10/2015 EN (English) 8/8