



LANTERN PENDANT

The Lantern Pendant is an elegant combination of iconic form and material exploration. Inspired by the traditional Chinese rice paper lamp, the frosted glass replicates a soft illumination, whilst creating a bold and lasting form. The result is a range of pendants suitable for small intimate spaces, all the way up to large open environments.

About the designer Anderssen & Voll


Established in 2009, Anderssen & Voll create desirable and ground-breaking objects for the home environment. An approach shaped by their previous roles within pioneering Norwegian firm Norway Says, with Torbjørn Anderssen and Espen Voll being founders and running partners. Their interest in cultural forms can be seen within their elegant and understated pieces for some of Europe's most renowned brands.

EAN NO	ITEM NO	VARIATION
5712826206102	20610	Lantern Pendant, Small (Ø200)
5712826206201	20620	Lantern Pendant, Medium (Ø300)
5712826206300	20630	Lantern Pendant, Large (Ø400)



SPECIFICATION

PRODUCT NAME	LANTERN PENDANT
DESIGNER	ANDERSSEN & VOLL
YEAR	2015
CATEGORY	LIGHTING
TYPE	PENDANT
MATERIAL	FROSTED GLASS
COLOR / VARIATION	FROSTED WHITE
PRODUCT DIMENSIONS	Ø 200 MM / Ø 300 MM / Ø 400 MM
PACKAGING DIMENSIONS	H 300 X W 250 X D 250 MM / H 335 X W 265 X D 365 MM / H 500 X W 450 X D 450 MM
CORD LENGTH	3400 MM
WEIGHT (INCL. PACKAGING)	1,8 KG / 3,5 KG / 5,2 KG
LIGHT SOURCE	G9, MAX 40W OR LED MAX 4W/ E27, MAX 40W, ESL/CFL MAX 13W OR LED MAX 11W (220-240~50/60 HZ)
BULB	NOT INCLUDED
CERTIFICATION	CE, CLASS II, IP20
COUNTRY OF ORIGIN	CHINA
MASTERPACKAGING	1



CLEANING INSTRUCTIONS/ MAINTANCE & CARE

Turn off the electricity before cleaning the lamp. Wipe the glass shade with a soft dry or moist cloth. Do not use any abrasive cleaning tools, and never use strong cleaning agents such as household glass cleaner, white spirit, terpentine.

SAFETY PRECAUTIONS/ ATTENTION

The lamp is only intended for indoor use, and consult a professionally qualified electrician if any doubt. Only use approved light bulb and following guidance - 220-240V~ 50/60Hz, Small: G9 - LED Max 5W, Halogen Max 40W. Medium/ Large: E27 - LED Max 10W, ESL/CFL Max 13W, Incandescent Max 60W. The light bulb gets hot, and the lamp exterior gets hot after prolonged use.



PRODUCT FACT SHEET > LIGHTING > LANTERN PENDANT

VARIATIONS

LANTERN, SMALL (Ø200 MM)



LANTERN, MEDIUM (Ø 300 MM)



LANTERN, LARGE (Ø 400 MM)

