

NJP WALL



Design:
nendo

Concept:

The fixture provides direct glare-free horizontal light while reflecting some of the light through the rear of the head, illuminating the top of the arm. The ergonomic design of the fixture head shapes the light and gives optimal light direction. A simple mechanical system provides great freedom of movement, so the light can always be set in the ideal position in the workspace. The shade is painted white on the inside, reflecting comfortable diffused light.

Finish:

White, black, light alu grey or dark alu grey, powder coated.

Material:

Arms and lamp head: Aluminium. Joints: Anodized

Weight:

Min: 0.8 kg Max: 1.5 kg

Class:

Ingress protection IP20. Electric shock protection II w/o ground.

Info notes:

Driver fitted externally on cord. The light has two built-in intensities. The weight includes the wall bracket. Wall mounting depends on selected arm length. The innovation of the LED technology is constant. The specifications mentioned are based on present technology. Please find updated info on products on our website www.louispoulsen.com.

Aluminium. Wall bracket: Aluminium.

Mounting:

Cord type: Black or white. Cord length: 3,3m (short arm), 2,3m (Long arm). Switch: On the fixture head. Timer function: 4 hours or 8 hours. LED driver: separate, plugs into power outlet.

Results (10)



CCT/WATT/LUMEN	LIGHT SOURCE	VOLTAGE/FREQUENCY	FINISH	CABLE TYPE	MOUNTING	EFFICACY	ORDER-NO.
2700K 10.0 529	10WLED 2700K	NOT APPLICABLE	BLK	BLK PL	LONG ARM	53	5743163225 >
2700K 10.0 529	10WLED 2700K	NOT APPLICABLE	WHT	WHT PL	LONG ARM	53	5743163238 >
2700K 10.0 550	10WLED 2700K	120V/60HZ	BLK	NOT APPLICABLE	SHORT ARM	55	5743163186 >
2700K 10.0 550	10WLED 2700K	120V/60HZ	WHT	NOT APPLICABLE	SHORT ARM	55	5743163199 >
3000K 10.0 550	10WLED 3000K	120V/60HZ	BLK	NOT APPLICABLE	SHORT ARM	55	5743163209 >
3000K 10.0 550	10WLED 3000K	120V/60HZ	WHT	NOT APPLICABLE	SHORT ARM	55	5743163212 >
3000K 10.0 550	10WLED 3000K	NOT APPLICABLE	BLK	BLK PL	LONG ARM	55	5743163241 >
3000K 10.0 550	10WLED 3000K	NOT APPLICABLE	WHT	WHT PL	LONG ARM	55	5743163254 >
3000K 10.0 550	10WLED 3000K	NOT APPLICABLE	DARK ALU GREY	BLK PL	LONG ARM	55	5743163377 >
3000K 10.0 550	10WLED 3000K	NOT APPLICABLE	LIGHT ALU GREY	BLK PL	LONG ARM	55	5743163380 >

SPAREPART

PRODUCT NAME:	ORDERING NUMBER:
ADAPTOR 12V BLK	5744164867
ADAPTOR 12V WHT	5744164870

ACCESSORIES

PRODUCT NAME:	ORDERING NUMBER:
NJP WALL BRACKET LONG BLK	5743163160
NJP WALL BRACKET LONG WHT	5743163173