




Model Control · Design by Jens Juul Eilersen

Back height (3 steps): 44 - 105 cm · Foot Support (2 steps): 23 - 42 cm · Seat height: 39 cm



Easy chair  
85 x 182 cm



Easy chair  
70 x 182 cm



Model Control · Design by Jens Juul Eilersen

Back height (3 steps): 44 - 105 cm · Foot Support (2 steps): 23 - 42 cm · Seat height: 39 cm



Easy chair  
85 x 182 cm



Easy chair  
70 x 182 cm



## Model Control · Design by Jens Juul Eilersen

### English:

Control is the ultimate reclining chair. Here you can control your sitting and lying position down to the smallest detail. Control is made up of four independent sections which give the chair an unusually flexible anatomy. Rest, read or watch TV? The neck support may be varied in 4 positions, the foot support in 2 positions, and the 3-step backrest programme varies from sitting to lying position. An elegant neck-roll is available as a supplement.

There are two pockets on the back of Control for your favourite magazines and newspapers.

The upholstery and built-in comfort zones guarantee the unique sitting quality which is Eilersen's trademark. It is almost as if the actual frame is moulded based on the anatomy of the body. The seat is constructed as a sandwich of three layers of foam with various grades of hardness and is finished with a layer of pre-compressed fibrefill which wraps around your body and ensures that Control keeps its shape.

Control is available in two sizes: 85 x 182 cm and 70 x 182 cm.  
The two rubber wheels makes it easy to move and turn the reclining chair.

Metal-tube frame with Nozag-spring and with a sandwich-structured upholstery of highly elastic polyurethane foam in a 600 g pre-compressed, fibre-fill wrap.

Control is available with fabric or leather upholstery.

Standard delivery is with removable covers.

Standard delivery is with polished chromium-plated legs with two rubber wheels at the back, alternatively with black lacquered legframe (RAL 9004, matt) or white lacquered legframe (RAL 9002, mat) also with two rubber wheels at the back.

The factory provides a 5 year guarantee, to cover frame, springs and cushion filling. No guarantee is provided for fabric and leather upholstery. Please see special information on selection of fabric and leather on [www.eilersen.eu](http://www.eilersen.eu).  
All overall dimensions correspond to frame sizes.

### Dansk:

Control er den ultimative hvilestol. Her kan du kontrollere din sidde- og liggestilling ned til mindste detalje. Control er formet af fire uafhængige sektioner, hvilket giver stolen en usædvanlig smidig anatomi. Hvile, læse eller se TV? Nakkestøtten kan varieres i 4 positioner, fodstøtten i 2 positioner og ryggens 3-trins program varierer fra siddende til liggende stilling. Som supplement tilbydes en lækker nakkepølle.

På ryggen har Control to lommer til magasiner og dagens avis.

Polstringen og indbyggede komfortzoner garanterer den unikke siddekvalitet, som er Eilersens varemærke. Selve stellet er som støbt efter kroppens anatomi. Sædet er opbygget som en sandwich af tre lag skum med forskellig hårdhed og afsluttet med et lag forkomprimeret fiberfill, der svøber sig om din krop og sikrer, at Control holder formen.

Control tilbydes i to størrelser: 85 x 182 cm. og 70 x 182 cm. Stolens to hjul gør det nemt at flytte og dreje hvilestolen.

Metalrørstel med affjedring af Nozag-fjedre, og med en sandwichopbygget polstring af højelastisk polyuretanskum med et svøb af 600 g. forkomprimeret fiberfill.

Control fås betrukket med stof eller læder.

Modellen leveres standard med aftageligt betræk.

Modellen leveres standard med blankt forkromede benvanger med to gummihjul bag til, alternativt med sortlakerede benvanger (RAL 9004, mat) eller hvidlakerede benvanger (RAL 9002, mat) også med to gummihjul bag til. Der ydes 5 års fabriksgaranti mod fabrikationsfejl på stel, fjedre og polstring. Der ydes ikke garanti på stof og læder, men der henvises til [www.eilersen.eu](http://www.eilersen.eu) for særlig vejledning for valg af stof og læder.

Alle angivne mål er stelmål.