Ogle Mini



ateljé Lyktan

MEMBER OF THE FAGERHULT GROUP




In 2009, design studio Form Us With Love created the luminaire called Ogle. There was a gap in the market for pendant spotlights that could be easily adjusted to direct the light. "We wanted a lamp that looks good by itself but also among a group of lamps.


Since the lamp has the functionality of a spotlight, we wanted it to complement furniture and other lighting in an interior setting. We also wanted to be able to place a number of lamps together without them dominating the room," says John Löfgren.

Now there is a new addition to the Ogle series

- Ogle Mini - a lamp measuring only 90 mm in diameter, cast entirely in aluminum.



"We wanted a lamp that looks good by itself but also among a group of lamps."



Ogle Mini

Material

Connection

Installation

Die-cast aluminium. **Pendant:** Suspended from cable, 3 m or tube pendant 0.5, 0.7 or 1 m. **Wall:** Mounted on wall bracket with two-point

suspension. External cable possible.

Ceiling: Mounted on 3-phase rail or FixPoint fitting.

Pendant: Feed cable 2x0.75 mm². Rose with terminal block 2x2.5 mm² and lamp plug. Halogen-free cable.

Wall: Terminal block 3x2.5 mm². Ceiling: 3-phase multi-adapter, is aluded in lumination.

included in luminaire.

Standard finish
Light source
Black NCS 8000-N or White NCS S0500-N G20.
Recommended light source is dimmable.

Design by Form Us With Love.







Description	ØxH (mm)	Light source	Socket	Art.no.	Colour	Incl. light sou	rce 400 lm, 2700K, CRI 90, 25°
Pendant	90x100	Max. 6W	GU10	201020	Black	211020	
Pendant	90x100	Max. 6W	GU10	201021	White	211021	
Tube 0.5m	90x100	Max. 6W	GU10	201028	Black		
Tube 0.7m	90x100	Max. 6W	GU10	201029	Black		
Tube 1.0m	90x100	Max. 6W	GU10	201030	Black		
Tube 0.5m	90x100	Max. 6W	GU10	201031	White		
Tube 0.7m	90x100	Max. 6W	GU10	201032	White		
Tube 1.0m	90x100	Max. 6W	GU10	201033	White		
Wall single	100x90x155	Max. 6W	GU10	201022	Black		
Wall single	100x90x155	Max. 6W	GU10	201023	White		
Wall twin	90x200x155	Max. 6W	GU10	201024	Black		
Wall twin	90x200x155	Max. 6W	GU10	201025	White		
Ceiling track	90x172	Max. 6W	GU10	201026	Black		
Ceiling track	90x172	Max. 6W	GU10	201027	White		
Rec. light sources	Angle	Lumen output	Socket	Art.no.		CRI	Colour temp.
Master LED	25°	~280 lm/4W	GU10	207920		90	3000K
Master LED	25°	~400 lm/5.4W	GU10	207921		90	3000K
Master LED	25°	~280 lm/4W	GU10	207924		90	2700K
Master LED	25°	~400 lm/5.4W	GU10	207925		90	2700K
Master LED	40°	~400 lm/5,4W	GU10	207915		90	3000K
Master LED	40°	~400 lm/5,4W	GU10	207926		90	2700K

^{*} For more information: www.atelje-lyktan.com

Head Office

Fyrvaktaregatan 7, SE–296 81 Åhus, Sweden Tel: +46 (0)44 28 98 00 Fax: +46 (0)44 28 98 38

Email: info@atelje-lyktan.se

Offices

Stockholm: Hesselmans Torg 9, SE–131 54 Nacka Gothenburg: Sofierogatan 3A, SE-412 51 Gothenburg

Malmö: Slussgatan 10, SE–211 30 Malmö Luleå: Västra Varvsgatan 3, SE–972 36 Luleå England: 33-34 Dolben Street, GB-SE1 0UQ London Norway: Strandveien 30, Pb 471, N-1327 Lysaker

Finland: Kyllikinportti 2, FI-00240 Helsinki

Russia: Butyrskaya Str. 75, office 305, RU-127015 Moscow