

# CATALOGUE

ELECTRIC FENCING 2018



PULSARA.

ELEPHANT 



## ELEPHANT 230V ENERGISERS for professionals!

The Elephant 230V energisers are suitable for professional and hobby use. They have been developed to keep your animals inside or outside in the most animal-friendly and safe manner. These energisers deliver a top performance near vegetation too! Guaranteed to have sufficient voltage on the fencing, ensuring your animals stay safely in the pasture. If you are looking for sturdy mains energisers that are easy to connect, Elephant is exactly what you are looking for!

## POWERFUL ALL-ROUND ENERGISERS

The 230V energisers are suitable for longer fencing. With 15 Joule energisers you can rely on having a powerful energiser. The current is so strong it burns away vegetation. The display clearly shows the Voltage on your fencing.



MODEL	ART.NR.	input	output	max	500 Ω					230V	
SMART M115-D	072781	15J	12J	8000V	5800V	40 KM	28 KM	20 KM	4x2	•	•
SMART M115-A	072774	15J	12J	8000V	5800V	40 KM	28 KM	20 KM	4x2	•	•
M65-D	4000681	7J	4.8J	9100V	6800V	30 KM	14 KM	10 KM	2x2	•	
M65	4000650	7J	4.8J	9100V	6800V	30 KM	14 KM	10 KM	2x2	•	
M40	4000407	5J	4J	7500V	5200V	20 KM	10 KM	8 KM	2x1	•	

## 230V ENERGISERS

### for normal use

These energisers are easy to install and extremely suitable for horses, cattle, sheep and free-range pigs. These energisers are also suitable for hobby use, for example for pets or the garden.



MODEL	ART.NR.	input	output max.	max.	500 Ω					230V
M15	4000155	1.8J	1.4J	8300V	3600V	5 KM	2 KM	1.5 KM	1	•
M1 mini	4000018	0.12J	0.1J	5600V	1100V	0.5 KM	0.3 KM	0.1 KM	0.5	•

## 230V ENERGISERS

### for normal use

These energisers are easy to install, small in size but large in power. They are extremely suitable for horses, cattle, sheep, and free-range pigs. These energisers are also suitable for hobby use, for example for pets or the garden.



MODEL	ART.NR.	input	output max.	max.	500 Ω					230V
M8-COMPACT	070268	0.7J	0.4J	7400V	2000V	0.8 KM	0.5 KM	0.3 KM	0.5	•
M1-COMPACT	4000032	0.12J	0.1J	5600V	800V	0.5 KM	0.3 KM	0.1 KM	0.5	•

## 12V ENERGISERS

### Accu

The Elephant 12V energisers are available in three different models. The energisers are super strong and have a robust look. They are easy to install and suitable for different types of animals.



MODEL	ART.NR.	input	output max.	max.	500 Ω					12V	9V	6V
ACCU A45	072743	2.1/4.5J	1.8/4.0J	8000V	4800V	20 KM	7 KM	5 KM	2x2	•		
ACCU A30	072736	1.8/3.5J	1.3/3.0J	8000V	3500V	10 KM	4,5 KM	3 KM	2x1	•		
ACCU A15	072729	0.8/1.5J	0.4/1.0J	8000V	3100V	5 KM	2 KM	1 KM	1	•		



# 9V ENERGISERS

## Mobil

The Elephant 9V energisers are available in three different models. It stands out because of its robust form and well-designed ergonomics. The battery is placed in the energiser, which means it is always protected against the elements. Proper earthing is essential for these energisers. Easy to connect with the enclosed cable set



MODEL	ART.NR.	input	output	max.	500 Ω	6 KM	3 KM	2 KM	0.5	12V	9V	6V
MOBIL P6-S	4001060	0.29/0.58J	0.25/0.52J	7500V	2000V	6 KM	3 KM	2 KM	0.5	•	•	•
MOBIL 3	4001039	0.18/0.36J	0.15/0.29J	7500V	1500V	3 KM	1.5 KM	0.5 KM	0.5	•	•	•
MOBIL P1-E	4001015	0.15J	0.12J	6500V	1300V	1 KM	0.8 KM	0.2 KM	0.5	•	•	•



# ALARMSYSTEM

Functions with all electric fences with voltages of 0-10,000V. Avoid your animals getting out or other people getting in without your knowledge. The alarm system automatically monitors the voltage of the fence and sounds the alarm if it falls below 2000 volts. May be connected to the fence at any point. May also be used to warn of break-ins/broken wires by placing the alarm system at the end of the fence wire. Option of connecting to external alarm/siren.




4002265 1



## SOLAR SYSTEMS for batteries

Are you looking for an energiser that provides free energy and is environmentally friendly too? Go for solar!  
The Elephant solar range consists of energisers with an integrated solar panel. We also have individual solar panels that can be used with 9V/12V energisers.



### Heliopan HS

#### Solar system

Powerful solar powered mobile electric fence that works all year. Ready to use out of the Box. Requires no maintenance. Versatile and mobile electric fence which is easy to move to new areas.

Suitable for Horses, Cows and enclosures for various animals.

MODEL	ART.NR.	input	output	max. energy	500 Ω	5	2.5	2	0.5	18V	12V	Solar
HELIOPAN HS50	072767	0.5	0.45	7600	2100	5	2.5	2	0.5		•	•
HELIOPAN HS20	4001268	0.29	0.2	7500	1400	3	1.5	1	0.5		•	•
HELIOKIT HS10	072750	0.16	0.14	7700	1100	0.5	0.2	0.1	0.5	•		•

### Solarsystem

#### Accu

With the Elephant Solar System Accu your ELEPHANT A15 or A30 energiser operates an entire season from March to October. Save time and money by not having to recharge the wet cell battery every time by using the Elephant Solar System Accu. Contents, Solar cell 20W, Protective case for electric fence, 45 degree mounting bracket, Cables and electronics. Elephant recommends to use a 12V/85Ah battery with the system. Electric fencing and battery are sold separately.



### Solarsystem

#### P1/P3/P6

Save the money for new batteries. By using a Solar System, the P3 product will run itself for the entire season from March to October. Contents, Solar cell 6W, 12V/5Ah rechargeable battery, 45 degree bracket, Cables and electronics. Electric fencing sold separately.







**M1-C/M8-C**  
Pet & Garden kit

Garden protection and Animal control. Set includes, Electric fence energiser Elephant M1-Compact or M8-Compact, Earth rod 1mtr, 10x Post 105cm, 25x Screw-in ring isolator, 2x 100mtr orange Polywire, Universal Fence Cable set, Elephant Warning Sign, Step by Step installation manual.



M1-C	070381	 1
M8-C	070275	 1

PETS & GARDEN FENCES

Elephant has a range of fencing kits for pets and gardens. Every kit includes an energiser and they are all easy to install. With these kits you keep your animals in, unwanted animals out and slugs will disappear from your garden for ever more!

**M1-Compact**  
+ SnailFence Kit 20m

The best Out of the Box solution, to keep out the neighbour's Cat, to keep Pigeons, Seagulls and other birds away from eaves and cornices, to keep Pine Martens out of the attic and of course to keep out killer Snails. Elephant fencing tape is both easy and extremely effective for penning animals in, and to keep pests and other animals out of areas you want to protect. The box includes, 1x Elephant Energiser M1-Compact, 1x 20mtr Snail Fence tape, 1x Junctionbox, 200x Screw, 10mtr Fence cable, 1x Mountingkit, 1x Manual. To expand your Elephant Snail Fence system, extra junction box and SnailFence tape are separate available.





075157  1

**Fencing tape/Snailtape**  
20m/50m

The Elephant Snail Fence is particularly suitable in conjunction with the electric fence Energiser Elephant M1-Compact (Partno. 4000032). Box includes, 1x 20mtr or 1x 50mtr Snail Fence, 1x Junctionbox, 200x Screw, 10mtr Fence cable, 1x Mountingkit, 1x Manual. Also in "Out of the Box" kit available (Partno. 075157).




4002920	20m	 1
4002937	50m	 1

**Fencing tape/Snailtape**  
Junctionbox

Extra Junction Box to expand or divide the Elephant Snail Fence system.



500041000  1





### Digital fence tester

- Shows voltage in KV
- Easy to use



4002227 1

## TO MEASURE IS TO KNOW

Check regularly that you have enough voltage on your fencing by measuring it. Pulsara has 3 types of testers in its range - an accurate digital voltmeter, a neon tester with 5 voltage levels, and a simple tester that detects a pulse.

### Neon fence tester

- Tester with 5 voltage levels
- Easy to use



4002159 1

### Fence tester

- Flashes when the fence is switched on
- Easy to use



4002142 1

### Protectionbox

Protective galvanized box with handles that make it easy to transport any ELEPHANT Accu A range Energiser and the 12V wet cell battery. Furthermore an ELEPHANT Solar System can be mounted on the protecting box.



4002906 1

### Warning sign

- Legally required at 50m intervals along public roads.



100138 1

### Fence cable set

- Universal
- With reinforced plastic casing
- Suitable for fitting wire, cord and tape



009718 1

### Cut out switch

- Switch sectors of the fence on and off independently
- Helps you trace more easily any faults in the fence



066766 1

### Fence alert

- Easy to use
- Flashes when the fence is switched on




4002104 1

### Lightning Diverter

- Protects fence from lightning
- Easy to use
- Consists of coil and bell



4002760	Coil	1
4002784	Bell	1



## EARTHING: HOW DOES IT WORK?

Good earthing is essential to the proper operation of your fencing. Electric fencing is a circuit system with a current running through it. The current that runs through the conductor, via the body of a human or an animal or through the vegetation to the ground, is returned via the earth peg(s) to the electric fencing device. Dry ground or stony ground is a poor conductor for the current. Therefore it is important that you always use the suggested number of earth pegs and that you measure that the earthing is sufficient. Without a good connection between the earth and the device, your electric fence will never work properly.

### Earthstake

1m incl. clamp

- Galvanised
- Length 1m
- Includes clamp



055883 1

### Earthstake

1m

- Galvanised Earth stake 1m without earthing cable
- Length 1m



066575 1

### Earthstake

0.5m incl. 3m cable


- Galvanised Earth stake
- Length 0.5m
- Including 3m Earth wire



055890 1

### Earth connection cable

- For connecting 9 V devices to an earthing pin
- With 2 eyelets for easy fitting



060054 1

### Underground cable

ø 1.6mm

- Double insulation
- For (underground) connections



304455	1	25 m
066643	1	50 m
066674	1	100 m

### Underground cable

ø 2.5mm

- Double insulation
- For (underground) connections



066612	1	50 m
066681	1	100 m
066773	1	500 m



# (HYBRID) ALKALINE BATTERIES

You can choose between two types of batteries within the Pulsara range – an alkaline battery (in 6, 9 or 12 Volt) or a Hybrid-Alkaline (9 Volt). The capacity (electric charge) is measured in Ampere hour (Ah).

### Alkaline

The batteries with the best performance are alkaline batteries. In terms of lifespan and capacity, alkaline batteries are at the top of our range. They have major benefits in relation to the standard zinc/carbon (saline) and hybrid batteries:


- Best performance with longest lifespan
- Guaranteed optimum use of the capacity of the battery
- Best performing batteries in all weather conditions

### Hybride-Alkaline

We have developed hybrid alkaline batteries for people who the price is decisive. The lifespan of the hybrid alkaline batteries is not quite as long as that of the alkaline batteries, but they perform much better than the old-fashioned zinc/carbon (saline) batteries.

### Why do we choose hybrid alkaline batteries?

- A longer lifespan in relation to a saline battery
- Competitively priced
- Both versions are set in small casing (both the 55Ah and the 130Ah)



## Battery Alkaline

- 6 Volt, 40Ah
- Optimum performance
- Mercury free



007912 1

## Elephant Alkaline Battery

9V/55Ah

Environmentally friendly alkaline 9 Volt, 55Ah battery for use with 9V battery powered energisers. Alkaline Batteries give you up to 30% better performance than Air Oxygen batteries. Suitable for all Elephant 9Volt energisers.



4002006 1

## Elephant Alkaline Battery

9V/120Ah

Environmentally friendly alkaline 9 Volt, 120Ah battery for use with 9V battery powered energisers. Alkaline Batteries give you up to 30% better performance than Air Oxygen batteries. Suitable for all Elephant 9Volt energisers.



4002007 1

## Elephant Alkaline Battery

9V/175Ah

Environmentally friendly alkaline 9 Volt, 175Ah battery for use with 9V battery powered energisers. Alkaline Batteries give you up to 30% better performance than Air Oxygen batteries. Suitable for all Elephant 9Volt energisers.



4002008 1

## Alkaline Optimum Performance

9V/200Ah

Environmentally friendly alkaline 9 Volt, 200Ah battery for use with 9V battery powered energisers. Alkaline Batteries give you up to 30% better performance than Air Oxygen batteries. Suitable for all Elephant 9Volt energisers.



076574 1

## Battery (LA)

- 12 Volt, 85Ah, LA Battery
- Rechargeable
- With handgrips



055869 1




## POSTS

Pulsara has a complete range of movable posts. They stand out because of their excellent price/quality ratio. They are easy to install and can be reused.

### Fibreglass post Yellow 1.10m


1

- ø 10mm
- With top and intermediate insulator
- Strong peg with foothold
- Use #013258 for extra intermediate insulators

024926  10

### Insulator For fibreglass post

- Use in combination with #024926
- For plastic wire, cord and tape of up to ø 20mm

013258  10

### Plastic post White 0.75m

2


- Strong white plastic
- 6 wire holders, for plastic wire, cord and tape of up to 40mm
- Double foothold, one peg
- Total length 0.75m

075874  10

### Plastic post White 1.05m

3


- Strong white plastic
- 8 wire holders, for plastic wire, cord and tape of up to 40mm
- One foothold, one peg
- Total length 1.05m

066551  10

### Plastic post White 1.05m

4

- Strong white plastic
- 10 wire holders for plastic wire, cord and tape of up to 40mm
- Double foothold, one peg
- Total length 1.05m

019625  10

### Plastic post Black 1.05m

5


- Strong black plastic
- 10 wire holders for plastic wire, cord and tape of up to 40mm
- Double foothold, one peg
- Total length 1.05m

019663  10

**Plastic post**  
Blue 1.05m

6


- Strong blue plastic
- 10 wire holders for plastic wire, cord and tape of up to 40mm
- Double foothold, one peg
- Total length 1.05m

019632  10

**Plastic post**  
Green 1.05m

7

- Strong green plastic
- 10 wire holders for plastic wire, cord and tape of up to 40mm
- Double foothold, one peg
- Total length 1.05m

019656  10

**Plastic post**  
White 1.55m

8


- Strong white plastic
- 14 wire holders for plastic wire, cord and tape of up to 40mm
- Double foothold, one peg
- Total length 1.55m

019601  10

**Plastic post**  
Green 1.55m

9

- Strong green plastic
- 14 wire holders for plastic wire, cord and tape of up to 40mm
- Double foothold, one peg
- Total length 1.55m

069439  10

**Pigtail post**  
White/green 1.00m

10

- Strong pigtail post white
- With large green pigtail insulator
- Double peg with foothold
- Total length 1m

055906  10

**Spring steel post**  
Green 1.05m

11


- Green hard-wearing post
- Small pigtail insulator for wire, cord and tape of up to ø 10mm
- Double foothold, one peg
- Total length 1.05m


019670  25

**Spring steel post**  
Orange 1.00m

12

- Orange hard-wearing post
- With black insulator for wire, cord of up to ø 6mm
- Double foothold, one peg
- Total length 1.00m

066568  10







## DO YOU NEED ROPE, TAPE OR WIRE FOR YOUR FENCING?

Are you looking for the best price/quality ratio at an attractive price? Pulsara range is just what you are looking for! All the conductors are UV resistant and their properties, such as conduction and tensile strength, are perfect for this use. Our Premium products must be used for longer fences, because they have copper conductors to ensure that even the end of the fence still has enough current running through. The following chart shows which conductor is recommended for which situation:

PRODUCT	PERMANENT	MOBILE	SHORT DISTANCE (<400M)	LONGE DISTANCE (>400M)	COWS	GAME	HORSES	SHEEP	GOATS	POULTRY	PIGS
STRANDED WIRE	•	•	•	•	•	•	-	•	•	•	•
STEEL WIRE ZINC COATED	•	-	•	•	•	•	-	•	•	•	•
POLY WIRE	-	•	•	-	•	-	-	•	•	•	-
POLY WIRE PREMIUM	-	•	-	•	•	-	-	•	•	•	-
ROPE	-	•	•	-	•	•	•	-	-	-	•
ROPE PREMIUM	•	•	-	•	•	•	•	-	-	-	•
TAPE 10MM	-	•	•	-	•	-	•	-	-	-	-
TAPE 20MM	-	•	•	-	•	•	•	-	-	-	-
TAPE 20MM PREMIUM	•	•	-	•	•	•	•	-	-	-	-
TAPE 40MM	•	-	•	-	-	-	•	-	-	-	-
TAPE 40MM PREMIUM	•	-	-	•	-	-	•	-	-	-	-

### Stranded wire ø 1.5mm

- Ideal for longer, mobile fences.
- More flexible than galvanized steel wire.
- 7 intertwined strands.

019816	1	200 m
005782	1	1000 m



### TIP:

A permanent cattle or sheep fence that is low in maintenance and durable? Opt for Pulsara galvanised steel wire. Use galvanised steel wire in combination with the draw spring and rotating tensioner for optimum safety and durability. The fence can adapt effortlessly to the climate conditions.

### Steel wire zinc coated

Ideal for permanent sheep and cow fences

066803	1	ø 2.0mm	2kg	82 m
--------	---	---------	-----	------



### Steel wire HD zinc coated

Ideal for permanent sheep and cow fences

066582	1	ø 2.7mm	5kg	112 m
066797	1	ø 2.4mm	5kg	143 m
066599	1	ø 2.0mm	5kg	205 m
303670	1	ø 1.6mm	5kg	315 m



**Poly wire**

**Orange**

- 3 x 0.16mm stainless steel wires
- 100m
- Tensile strength 46kg
- Resistance 12 Ohm/m
- Suitable for fences of up to 400m



068753 1

**Poly wire**

**Econo orange**

- 3 x 0.16mm stainless steel wires
- 250m
- Tensile strength 46kg
- Resistance 12 Ohm/m
- Suitable for short fences



066971 1

**Poly wire**

**White**

- 6 x 0.16mm stainless steel wires
- Tensile strength 46kg
- Resistance 6 Ohm/m
- Suitable for fences of up to 400m

019779	1	250 m
019786	1	500 m



**Poly wire**

**Premium white**

- 6 x 0.16mm stainless steel wires,
- 1 x 0.25mm tinned copper wire
- 500m
- Tensile strength 130kg
- Resistance 0.37 Ohm/m
- Suitable for long fences



055616 1

**Poly wire**

**White**

- 9 x 0.16mm stainless steel wires
- 250m
- Tensile strength 46kg
- Resistance 4 Ohm/m
- Suitable for fences of up to 400m



019793 1

**Poly wire**

**Jumbo white**

- 9 x 0.20mm stainless steel wires
- 1000m
- Tensile strength 110kg
- Resistance 2.5 Ohm/m
- Suitable for long fences



066711 1





**Flexi Rope 4mm**

White

- 2 x 0.16mm stainless steel wires and 2 x 0.20mm tinned copper wires
- Tensile strength 110kg
- Resistance 0.69 Ohm/m
- Suitable for long fences

069415	1	200 m
069422	1	500 m

**Rope 6mm**

White

- 6 x 0.20mm stainless steel wires
- Tensile strength 350kg
- Resistance 4 Ohm/m
- Suitable for short to medium-length fences

019700	1	200 m
065097	1	500 m

**Rope 6mm**

Premium white

- 6 x 0.15mm stainless steel wires and 1 x 0.25mm tinned copper wire
- 200m
- Tensile strength 350kg
- Resistance 0.37 Ohm/m
- Suitable for long fences



055630 1

**Tape 10mm**

White

- 4 x 0.16mm stainless steel wires
- 200m
- Tensile strength 57kg
- Resistance 9 Ohm/m
- Suitable for short fences



019762 1

**Tape 10mm**

White, duopack

- 4 x 0.16mm stainless steel wires
- 400m
- Tensile strength 57kg
- Resistance 9 Ohm/m
- Suitable for short fences



007622 1

**Tape 20mm**

White

- 4 x 0.16mm stainless steel wires
- 200m
- Tensile strength 87kg
- Resistance 9 Ohm/m
- Suitable for short fences



019748 1

**Tape 20mm**

Premium white

- 4 x 0.16mm stainless steel wires and 1 x 0.25mm tinned copper wire
- 200m
- Tensile strength 87kg
- Resistance 0.45 Ohm/m
- Suitable for long fences



055623 1



## Tape 40mm

### Premium white

- 4 x 0.16mm stainless steel wires and 1 x 0.25mm tinned copper wire
- 200m
- Resistance 4.5 Ohm/m
- Suitable for long fences

055647  1

## Tape 40mm

### White



- 8 x 0.16mm stainless steel wires
- 200m
- Tensile strength 125kg
- Resistance 4.5 Ohm/m
- Suitable for short to medium-length fences

019724  1

## Sheep Netting

### Single spike, 90cm

- Height 90cm / Length 50m / 14 Posts
- Single spike
- Yellow / UV resistant
- 8 Horizontal wires / 7 Conductive
- Resistance 46 Ohm / 50m

075409  1

## Wild boar netting

### Single spike

- Length 50m
- 12 posts, Single spike
- Blue / UV resistant

077342  1



## REELS

Reels are used for portable fencing to wind or unwind the fencing wire. Pulsara reels come in a range of sizes, options, prices and quality. This page lists all the reels and the information you need to arrive at the correct choice for your situation.

### Reel

#### With brake and handle 1:1

- For approx. 200m wire
- Basic reel 1:1, With hand grip and hook to hang on the fence wire
- Ideal for subdividing the plot
- Includes brake



019489 1

### Reel

#### Geared 3:1

- For approx. 500m wire
- Robust geared reel 3:1
- With hand grip, plastic wire guide and hook
- Includes brake



066544 1

### Reel

#### Basic 1:1

- For approx. 500m wire
- Basic reel 1:1
- With robust hand grip
- Includes brake



069675 1

### Reel

#### Geared basic 3:1

- For approx. 500m wire
- Basic geared reel 3:1
- With robust hand grip
- Includes brake



069682 1

### Reel

#### With belt for carrying 1:1

- For approx. 800m wire
- Robust reel 1:1
- With chest strap
- Includes brake



019465 1

### Spare reel

#### For #019465

- For approx. 1000m poly wire
- Spare reel
- Easy to fit
- Without wire



019472 1

### Reel

#### With belt for carrying 1:1 2000m, green

- Big reel with brake for 2000m wire. Including chest strap.



072484 1





# INSULATORS

The Pulsara range of insulators connects to the conductors in our range. In other words they are insulators for tape, cord, plastic wire and polywire. We draw special attention to our offset insulators that are suitable for electrifying existing fencing. For wooden and/or iron posts, for permanent or portable fencing. They stand out in terms of price, quality and durability.

## Strain insulator Porcelain

- Hard-wearing and heat resistant
- UV resistant



020065 25

## Strain insulator White

- Hard-wearing plastic
- UV resistant



020058 25

## Egg insulator White

- Suitable for short strains and semi-permanent short fences
- Made from UV resistant polypropylene plastic
- Large tracking distance minimises power leakage



058044 10

## Egg insulator Black

- Suitable for short strains and semi-permanent short fences
- Made from UV resistant polypropylene plastic
- Large tracking distance minimises power leakage



058051 10

## Egg insulator Black with hook

- For wooden posts
- Ideal as corner and strain insulator
- Easy to fit
- Eye bolt included



055968 10  
069446 35

## Ring insulator Black

- Extra strong due to metal core
- High-quality black plastic
- Suitable for wire and cord
- For wooden posts



019915 25  
301157 150



**Ring insulator****Black**

- Without metal core
- High-quality black plastic
- Suitable for wire and cord
- For wooden posts


019892	 25
301522	 150

**Ring insulator BS****Bolt-on black**

- For metal posts
- High-quality black plastic
- Suitable for wire and cord
- With 2 nuts M6
- Total shaft length 47mm
- Wire 30mm

060665  25**Split insulator****Black**


- High-quality plastic
- Suitable for wire
- For wooden posts

019908  50**Nail on insulator****Black**

- High-quality black plastic
- Suitable for wire
- Easily fitted with a hammer
- For wooden posts

019953  50**Round post insulator**


- Insulator for round posts (Ø 8mm) and oval posts (11 x 5mm) or for nailing on wooden posts
- Durable design
- UV stabilized plastic

058099  25**Tape corner insulator**

- Hard-wearing, solid corner insulator
- Suitable for tape of up to 40mm
- Includes wing nuts

303434  5**Tape corner insulator**


- Suitable for tape of up to 40mm
- Easy to use

019847  25**Tape corner insulator**

- Suitable for tape of up to 40mm
- Tape can be easily strained

019939  5**Tape corner insulator**

- Suitable for wire, cord and tape of up to 60mm
- Easy to use


020072  25**Screw-on insulator**

- For posts of up to ø 12.5mm
- Suitable for wire, cord and tape of up to 40mm
- With screw fitting

058143  15

**Screw-in tape insulator**


- For wooden posts
- Easy to use
- Suitable for wire, cord and tape of up to 40mm

054084  25**Roll insulator**

- For wooden posts
- Suitable as a corner insulator for wire and cord

302406  5**Offset insulator****180mm**


- For wooden posts
- Suitable for wire, cord and tape of up to 40mm
- Easy to use

072385  10**Offset insulator****Black**

- Length 180mm
- Suitable for wire and cord
- For electrifying wooden fences

058181  15**Offset insulator****180mm**

- Offset insulator suitable for metal posts
- Total length 180mm
- Includes 2xM6 nut

076857  10**Offset insulator****220mm**

- Offset insulator suitable for metal posts
- Total length 220mm
- Includes 2xM6 nut

066889  15




## GATES


A gate is an entrance or exit in fencing. Consequently it should close properly and be easy to open, whilst the fencing continues to be electrified. The fencing should also continue to be electrified when the gate is open. Conducts the current underground by using an earth cable.

### Retractable auto reel

Up to 7m

- Complete retractable auto reel for walkways up to 7.5m
- Cord never hangs on the ground
- Includes gatehandle



065080  1

### Gate anchor

Wire/cord

- Suitable for wire and cord
- For wooden posts




020096  5

### Gate break hook

Tape

- Suitable for tape of up to 60mm
- For wooden posts
- With tape clamp



301737  5

### Gate handle

Black

- With eye
- Provided with spring
- High-quality black plastic




019533  1

### Gate handle

Black

- With hook
- Provided with spring
- High-quality black plastic





019526  5

### Gate handle

Straight hook black

- With "N" type hook
- Provided with spring
- High-quality black plastic



055975  1  
068760  4




### Strong gate handle

Black

- With open hook
- Provided with spring
- High-quality black plastic



066926  1

### Gate handle

Compression spring

- With hook
- Provided with spring
- High-quality red plastic




066742  1

### Gate handle

Compression spring, black

- With open hook
- Provided with spring
- High-quality black plastic




066605  1

### Strong safety gate handle

Red

- With open hook
- Provided with spring
- High-quality red plastic




066629  1

### Strong safety gate handle

Black

- With open hook
- Provided with spring
- High-quality black plastic



066650  1

### Spring gate set

Up to 5m

- Provided with spring
- Can be stretched to 5m
- High-quality black plastic




259543  1

### Spring gate set

Black

- Provided with spring
- Up to 5m
- With ring insulator and gate anchor



066933  1

### Spring

- Suitable for #259543
- Can be stretched to 5m




020294  1

### Elastic gate

- Includes gate handle, gate handle anchor and ring insulator
- Can be stretched to 6m
- High-quality black plastic



055982  1

## TIP:

Gates are essential in any fence. If you opt for an elastic gate set, you can feel secure and safe.

To guarantee optimum safety, your fence must always be tensioned properly; this reduces the risk of your animal to tangle in the fence.




## CONNECTORS: HOW DOES IT WORK?

The Pulsara connectors ensure a good join between the rope, wire or tape. If conductors are poorly connected, the shock behind the connector can be too small or may have disappeared. This will make the electric fencing much less effective. It is important to use a rope joiner, tape connector or wire clamp for every connection to ensure the current continues to pass through. NB: Rust has an insulating effect, which will reduce the voltage on the fence. The metal connectors of Pulsara are treated to prevent rusting.

### Wire clamp

- For reliable connections
- With nut and 2 rings

056026  10


### Rope joiner

- Suitable for 4-6mm cord
- Galvanized
- Easy to fit

019519  10

### Tape joiner 40mm

- Stainless steel joiner for 40mm tape
- Realizes excellent mechanical and electrical connection
- Easy to use backpack band principle

058082  5


### Tape joiner 20mm

- Stainless steel joiner for 20mm tape
- Realizes excellent mechanical and electrical connection
- Easy to use backpack band principle

058075  5


### Tape joiner 12.5mm

- Stainless steel joiner for 12.5mm tape
- Realizes excellent mechanical and electrical connection
- Easy to use backpack band principle

058068  5


### Tape connector

- For linking together 2 rows of tape
- Suitable for tape of up to 40mm
- With 0.9m cable
- With wing nuts

056033  1

### Tape connector cable

- Suitable for fitting tape of up to 40mm
- With 1.3m cable
- With wing nuts



056040 1

### Fence spring galvanized

- Suitable for galvanized steel wire of 2-2.5mm
- Prevents cracks in fluctuating temperatures



056019 1

### Wire tensioner round

- Suitable for galvanized steel wire or cord
- Can be strained with #056002



055999 5

### Wire tensioner no.2

- 95mm
- For straining steel and plastic wire



303588 25

### Wire tensioner no.3

- 100mm
- For straining steel and plastic wire

303601	Green	25
065127		10
303595		25



### Wire tensioner no.4

- 120mm
- For straining steel and plastic wire

065134	5
303359	25



### Wire tensioner no.4

With cogwheel

- 120mm
- For straining steel and plastic wire

065141	5
303342	25



### Gripping tools

- Tools specifically for use with Gripping wire connectors
- Wire connectors for wire
- Small gripper suitable for 1.44mm / 2.2mm wire. Medium gripper suitable for 2.0mm / 3.25mm

143397	Gripping pliers	1
012036	Gripping small, 1.44/2.2mm	20
012043	Gripping medium, 2.0/3.25mm	20



## ACCESSOIRES

### Wire tensioner handle

- For straining #055999.



056002 1

### Drill chuck

- Ring insulators can be screwed easily into wooden posts
- Suitable for battery drilling machines



024724 1

### Fencing pliers

- For cutting wire or removing staples
- Can be used as a hammer



027095 1





We continuously strive to improve our programme and keep it up to date. We reserve the right to make changes without notice, and are not responsible for errors or omissions.

**Your dealer:**

